

# ERCO track and singlets – Supporting role

ERCO track deliver the energy required to light up rooms
ERCO track is more than a power source. The system provides a flexible infrastructure for luminaires, DALI or standard, that can move with your changing requirements. Track are the anchor for your lighting concept and are primarily designed for mounting on ceilings or walls, whereas the flanged track is designed for suspended ceilings or flush mounted using a plaster trim profile. Individual track lengths can be connected with each other so as to form rectangular and other shapes.



## **ERCO** track and singlets



Structure and characteristics
The features described here are typical of products in this range. Special versions may offer additional or varying features. A comprehensive description of the features of individual products can be found on our website.

- Aluminium profile
   White (RAL9002), black or silver
   Powder-coated or anodised
   Track mounting surface with easy to remove knockouts at 0.4m intervals
   Flanged track: flanges for ceiling panels

#### 2 Contacts

- 4 isolated copper conductors
  When used as DALI track: 1 16A circuit and 2 conductors for connecting to the DALI data line
  When used as 3-circuit track: three separately switchable circuits, 16A

#### 3 Earth conductor

Variants on request
- Housing: 10,000 further colours
Please contact your ERCO consultant.




Design and application: www.erco.com/erco-track

## **ERCO** track and singlets



# Investment-proof due to flexibility

Thanks to durable, robust components that have been tried and tested over decades, track from ERCO provides a high level of investment security, even for future luminaire generations. This flexible infrastructure enables the implementation of lighting concepts with spotlights, downlights and wallwashers.




# A diversity of mounting methods With the appropriate accessories

you can flush mount in ceilings or walls instead of surface mounting, or use pendant suspensions in high




### Extensive accessories

Whether straight lines, L-shapes or rectangular configurations: use our extensive range of accessories to adapt the track layout to your project.



## Integration of luminaires from other manufacturers


Utilise ERCO track as a high quality infrastructure for your lighting design – also in combination with luminaires from other manufacturers. We supply suitable adapters, for example for spotlights and pendant luminaires, as OEM components.




## One track for different types of control

ERCO uses an identical track profile for both 3-circuit mode with three separately switchable circuits and for DALI mode. In this way you remain flexible and you can also integrate wireless control types such as Casambi Bluetooth and Zigbee.


ments are possible






## **ERCO** track and singlets

## **ERCO** track




## **ERCO** flanged track




#### Accessories

4	3-circuit connection components	Suspension equipment	Adapter
	DALI connection components	Mounting components	Plaster trim profile

## **ERCO** singlets



## **ERCO OEM adapter**



Article numbers and planning data: www.erco.com/011280

Design and application: www.erco.com/erco-track



<sup>\*</sup> available on request



Lyon Housemu-seum, Melbourne. Architecture: Lyons Architects. Photography: Jackie Chan, Sydney.

Black Swan, Peking Lighting design: Beijing Zhouhongliang Lighting Design, Peking. Photographer: Sebastian Mayer, Berlin.



